






LOAD CHART

载荷曲线 / Diagrama de cargas / Diagramme de charges / Диаграмма распределения нагрузки

R (m)																					
65	14,4 10000	20 6780	22 6030	24 5420	25,6 5000	27,6 5000	30 4550	32 4220	35 3810	38 3460	40 3260	42 3080	45 2840	47 2690	50 2500	52 2380	55 2220	57 2130	60 1990	62 1910	65,0 m 1800 kg
60	15,5 10000	20 7390	22 6590	24 5930	26 5370	27,5 5000	29,8 5000	32 4620	35 4170	38 3790	40 3570	42 3380	45 3110	47 2960	50 2750	52 2620	55 2450	57 2340	60,0 m 2200 kg		
55	16,7 10000	20 8070	22 7210	24 6490	26 5890	28 5380	29,7 5000	32,3 5000	35 4570	38 4160	40 3920	42 3710	45 3420	47 3250	50 3020	52 2890	55,0 m 2700 kg				
50	18,3 10000	22 8050	24 7260	26 6600	28 6030	30 5550	32,6 5000	35,7 5000	38 4660	40 4390	42 4160	45 3840	47 3650	50,0 m 3400 kg							
45	18,9 10000	22 8350	24 7540	26 6850	28 6270	30 5770	33,7 5000	37,0 5000	38 4850	40 4570	42 4330	45,0 m 4000 kg									
40	19,6 10000	22 8740	24 7890	26 7180	28 6570	30 6050	32 5590	35,0 5000	38,6 5000	40,0 m 4800 kg											
35	19,6 10000	22 8740	24 7900	26 7180	28 6580	30 6050	32 5590	34,5 m 5100 kg													
30	20,2 10000	22 9050	24 8170	26 7440	28 6810	29,5 m 6400 kg															







LOAD CHART POWERLIFT

载荷曲线 PowerLift / Diagrama de cargas PowerLift / Diagramme de charges PowerLift / Диаграмма распределения нагрузки PowerLift

R (m)																					
65	15,2	20	22	24	26	26,9	29,7	32	35	37	40	42	45	47	50	52	55	57	60	62	65,0 m
	10000	7210	6420	5780	5230	5000	5000	4600	4150	3890	3560	3360	3100	2940	2730	2610	2440	2330	2190	2100	1980 kg
60	17,0	20	22	24	26	28	30,2	32,2	35	37	40	42	45	47	50	52	55	57	60,0 m		
	10000	8250	7360	6640	6020	5500	5000	5000	4550	4270	3910	3690	3410	3240	3010	2880	2690	2580	2420		
55	17,7	20	22	24	26	28	30	31,6	35,0	37	40	42	45	47	50	52	55,0 m				
	10000	8690	7760	7000	6360	5810	5340	5000	5000	4690	4300	4060	3750	3570	3320	3170	2970	kg			
50	19,6	22	24	26	28	30	32	34,9	38,7	40	42	45	47	50,0 m							
	10000	8720	7870	7160	6550	6030	5580	5000	5000	4820	4560	4220	4020	3740	kg						
45	20,2	22	24	26	28	30	32	35	36,2	40,2	42	45,0 m									
	10000	9080	8200	7460	6830	6290	5820	5220	5000	5000	4760	4400	kg								
40	21,1	22	24	26	28	30	32	35	37,8	40,0 m											
	10000	9520	8610	7840	7180	6620	6120	5490	5000	5000	kg										
35	21,2	22	24	26	28	30	32	34,5													
	10000	9560	8640	7860	7210	6640	6140	5610	kg												
30	21,8	22	24	26	28	29,5															
	10000	9920	8970	8170	7490	7040	kg														






Valid data up to 100 m HUH. Additional heights on request / 此数据仅适用于吊钩高度100m 以下，其他高度请咨询。 / Datos válidos hasta 100 m de ABG. Para alturas mayores consultar / Données valables jusqu'à 100 m HSC. Pour des autres hauteurs, merci de nous consulter / Допустимые данные до 100 м ВПК. Для более высоких высот консультируйтесь

MECHANISMS

机构 / Mecanismos / Mécanismes / Механизмы



MECHANISMS

机构 / Mecanismos / Mécanismes / Механизмы

	TFU-7.5
	7,5 kW
0 ⇔ 94 m/min	

	SFU-7.5
	2x 7,5 kW
0 ⇔ 0,7 rpm	

	RT-7.5
	2x 75 Nm
	20 m/min
	3XR52 5XR72

	RT-7.5VC	
	2x 75 Nm	
	20 m/min	
	5XR72	

Hoist / 起升机构 / Elevación / Levage / Тип механизма (подъем)	Trolley / 变幅机构 / Carro / Chariot / Грузовая тележка	Slewing / 回转机构 / Giro / Rotation / Поворот	Travel / 行走机构 / Traslación / Translation / Ход	Operating voltage / 工作电压 / Tensión de alimentación / Tension de service / Напряжение источника питания	Required power / 需要功率 / Potencia requerida / Puissance requise / требуемая мощность
HFU2-37-25	TFU-7.5	(2x) SFU-7.5	(2x) RT-7.5	400 V 3ph 50 Hz	55 kVA
HFU2-45-25					63 kVA


Optional / 选项 / Opcional / En option / Опционально


HEIGHTS UNDER HOOK

吊钩以下高度 / Alturas bajo gancho / Hauteurs sous crochet / Высота под крюком

Ø 2,0 m

FEM 1.001




n°	Ref.	Ø	h
1	SJ23	2,0	5,5
2	TSJ24	2,0	5,5
3	SJ24	2,0	5,5
4	TSJ25	2,0	5,5
5	SJ25	2,0	5,5
1xSJ25= 1xSJ25M			

R max. 最大压力	In operation / 工作状态 / En service / En service / При работе	3XR52.....88 t 5XR72.....88 t
	Out of service / 非工作状态 / Fuera de servicio / Hors service / B стационарном состоянии	3XR52.....100 t 5XR72.....133 t

BRACED CRANE

外爬塔机 / Grúa arriostrada / Grue à entretoisement / Нарываемый кран


FEM 1.001



INTERNAL CLIMBING CRANE

内爬塔机 / Grúa trepadora / Grue avec cage de télescopage intérieure / Кран с самоподъемом

FEM 1.001




Other wind zones or additional hook heights on request / 其他风区或另外的吊钩高度请咨询 / Otras zonas de viento o alturas superiores consultar / Autres zones de vent ou des hauteurs supplémentaires sur demande / При других ветренных зонах о при большой высоте проконсультируйтесь с нами

SPECIAL HEIGHTS

特殊高度 / Alturas especiales / Spéciaux hauteurs / Для специальной высоты

Ø 2.5 m

FEM 1.001



nº	Ref.	Ø	h	nº	Ref.	Ø	h	nº	Ref.	Ø	h	nº	Ref.	Ø	h
1	SJ23	2.0	5.5	4	TSJ25	2.0	5.5	7	SJ35	2.5	5.5	11	DJ34	2.5	5.5
2	TSJ24	2.0	5.5	5	SJ25	2.0	5.5	8	TDJ33A	2.5	5.5	12	DJ35	2.5	5.5
3	SJ24	2.0	5.5	6	TMSJ35SJ25	2.5	1.0	9	DJ33	2.5	5.5	13	TDJ36B	2.5	5.5
				1xSJ25=1xSJ25M				10	TDJ34	2.5	5.5	14	DJ36B	2.5	5.5

Other wind zones or additional hook heights on request / 其他风区或另外的吊钩高度请咨询 / Otras zonas de viento o alturas superiores consultar / Autres zones de vent ou des hauteurs supplémentaires sur demande / При других ветренных зонах о при большой высоте проконсультируйтесь с нами